





1 2 3 4 5 6 7 8

REVISIONS			
ISS	ZONE	DESCRIPTION\PER REQUEST\DATE	

業務部



PCB MOUNTING HOLE  
(印刷电路板架設孔)



- NOTES: FINISH (PLATING THICKNESS IN MICRO-INCHES)
- BRASS PER QQ-B-626
  - BERYLLIUM COPPER PER QQ-C-530
  - NICKEL PL. 100 MIN. THICK OVER COPPER STRIKE
  - GOLD PL. 3 MIN. THICK OVER NICKEL PL. 100 MIN. THICK OVER COPPER STRIKE
  - GOLD PL. 30 MIN. THICK OVER NICKEL PL. 100 MIN. THICK OVER COPPER STRIKE
  - TEFLON MIL-P-19468

出圖  
89.3.2  
設計

DIMENSIONS ARE IN MILLIMETERS				PART NO.	
UNLESS OTHERWISE SPECIFIED TOLERANCES				APPROVED <i>Andy C</i> DATE 03-21-00'	
0.5-6 = $\pm$ 0.2				CHECKED <i>Andy C</i> DATE 03-21-00'	
6-30 = $\pm$ 0.4				DRAWN <i>Irene L</i> DATE 03-21-00'	
30-120 = $\pm$ 0.6				FILE NO. F:\DWG\123\6251L1\50\N10GT30G	
120-315 = $\pm$ 1					
315-1000 = $\pm$ 1.6					
1000-2000 = $\pm$ 2.4					

<b>Amphenol - Kai Jack</b>	
TAINAN TAIWAN	
TITLE 1.0/2.3 PCB JACK	
DRAWING NO. KJ-1236251L1-N/ 3 GT30G-50	

NO.	DESCRIPTION	MATERIAL	FINISH	Q'TY	DRAWING NO.
4	SPANNER NUT	NOTE 1	NOTE 3	1	123-JACK-SN
3	CONTACT PIN	NOTE 2	NOTE 5	1	1236251L1-3
2	INSULATOR	NOTE 6	NATURAL	1	12387111301-2
1	BODY	NOTE 1	NOTE 4	1	1236251L1-1

1 2 3 4 5 6 7 8 220