


1 2 3 4 5 6 7 8

REVISIONS		
ISS	ZONE	DESCRIPTION\APPROVED\DATE
A	A-7	FMEM-SMBF WAS FME5071X1\TONY. T\11-09-98'

業務部



出圖
87.11.11
R&D

NOTES: FINISH (PLATING THICKNESS IN MICRO-INCHES)
 1. BRASS PER QQ-B-626
 2. NICKEL PL. 100 MIN. THICK OVER COPPER STRIKE
 3. BERYLLIUM COPPER PER QQ-C-530
 4. GOLD PL. 3 MIN. THICK OVER NICKEL PL. 100 MIN. THICK OVER COPPER STRIKE
 5. TEFLON MIL-P-19468

NO.	DESCRIPTION	MATERIAL	FINISH	Q'TY	DRAWING NO.
7	SHELL	NOTE 1	NOTE 2	1	SMB5000-1
6	RETAINER RING	NOTE 3	NATURAL	1	SMB5000-6
5	LOCK RING	NOTE 1	NOTE 2	1	FME1121A3-3-B
4	INSULATOR	NOTE 5	NATURAL	1	FME5071X1-4T-50
3	CONTACT PIN	NOTE 3	NOTE 4	1	FME5071X1-3
2	INSULATOR	NOTE 5	NATURAL	1	FME5071X1-2T-50
1	BODY	NOTE 1	NOTE 2	1	FME5071X1-1

DIMENSIONS ARE IN MILLIMETERS				PART NO.	
UNLESS OTHERWISE SPECIFIED TOLERANCES 0.5-6 = ±0.2 6-30 = ±0.4 30-120 = ±0.6 120-315 = ±1 315-1000 = ±1.6 1000-2000 = ±2.4				APPROVED	DATE
				CHECKED	DATE
				DRAWN	DATE
				SCALE	4/1
				ISSUE	A

<p>KAI JACK INDUSTRIAL CO., LTD. TAINAN TAIWAN R.O.C.</p>	TITLE	FME MALE TO SMB FEMALE ADAPTOR
	DRAWING NO.	FMEM-SMBF-NT3G-50
	FILE NO.	F:\DWG\FMEM\SMBF\50\NT3G

F
E
D
C
B
A

F
E
D
C
B
A

8001-20379