



1 2 3 4 5 6 7 8

REVISIONS		
ISS	ZONE	DESCRIPTION\APPROVED\DATE

業務部



NOTES: FINISH (PLATING THICKNESS IN MICRO-INCHES)
 1. BRASS PER QQ-B-626
 2. GOLD PL. 3 MIN. THICK OVER NICKEL PL. 100 MIN. THICK OVER COPPER STRIKE
 3. BERYLLIUM COPPER PER QQ-C-530
 4. GOLD PL. 50 MIN. THICK OVER NICKEL PL. 100 MIN. THICK OVER COPPER STRIKE
 5. TEFLON MIL-P-19468

出圖
87.10.27
R&D

DIMENSIONS ARE IN MILLIMETERS			
UNLESS OTHERWISE SPECIFIED TOLERANCES			
0.5-6	=	±0.2	
6-30	=	±0.4	
30-120	=	±0.6	
120-315	=	±1	
315-1000	=	±1.6	
1000-2000	=	±2.4	

NO.	DESCRIPTION	MATERIAL	FINISH	Q'TY	DRAWING NO.
5	RING	NOTE 1	NOTE 2	1	SMA7530-5-B
4	INSULATOR	NOTE 5	NATURAL	1	SMA6551E2-4T-50
3	CONTACT PIN	NOTE 3	NOTE 4	1	SMA6551E2-3
2	INSULATOR	NOTE 5	NATURAL	1	SMA7530-2T-50-B
1	BODY	NOTE 1	NOTE 2	1	SMA7530-1-B

PART NO.	
APPROVED	DATE 10-26-98'
CHECKED	DATE 10-26-98'
DRAWN	DATE 10-26-98'

	KAI JACK INDUSTRIAL CO., LTD. TAINAN TAIWAN R.O.C.
TITLE	SMA PANEL RECEPT. JACK
DRAWING NO.	KJ-SMA6551E2-3GT50G-50
FILE NO.	F:\DWG\SMA\6551E2\50\3GT50G

A

1 2 3 4 5 6 7 8

SMAR137