



1 2 3 4 5 6 7 8

REVISIONS			
ISS	ZONE	DESCRIPTION	PER REQUEST DATE

業務部

REMARK: CONTACT PIN TO WITHSTAND 4 INCH-OUNCE RADIAL FORCE.
(中心針需能承受4吋一盎司的扭力)



出圖
89.4.21
設計部

NOTES: FINISH (PLATING THICKNESS IN MICRO-INCHES)
 1. BRASS PER QQ-B-626
 2. NICKEL PL. 100 MIN. THICK OVER COPPER STRIKE
 3. TEFLON MIL-P-19468
 4. BRIGHT TIN PL. 200 MIN. THICK OVER NICKEL PL. 50 MIN. THICK OVER COPPER PL. 100 MIN. THICK

DIMENSIONS ARE IN MILLIMETERS			
UNLESS OTHERWISE SPECIFIED TOLERANCES			
0.5-6	=	\pm 0.2	
6-30	=	\pm 0.4	
30-120	=	\pm 0.6	
120-315	=	\pm 1	
315-1000	=	\pm 1.6	
1000-2000	=	\pm 2.4	

PART NO.	
APPROVED	DATE 04-19-00'
CHECKED	DATE 04-19-00'
DRAWN	DATE 04-19-00'

Amphenol - Kai Jack	
TAINAN TAIWAN	
TITLE UHF PANEL RECEPT. JACK	
DRAWING NO. KJ-U6551A1-NTT-50	
FILE NO. F:\DWG\U\6551A1\50\NTT	

NO.	DESCRIPTION	MATERIAL	FINISH	Q'TY	DRAWING NO.
3	CONTACT PIN	NOTE 1	NOTE 4	1	U6551A1-3
2	INSULATOR	NOTE 3	NATURAL	1	U6551A1-2T-50
1	BODY WITH PANEL	NOTE 1	NOTE 2	1	U6551A1-1S

NO.	DESCRIPTION	MATERIAL	FINISH	Q'TY	DRAWING NO.	SCALE	3/1	ISSUE	A

1 2 3 4 5 6 7 8 11/3